

Business Operator Vikan A/S

Rævevej 1 DK-7800 Skive (+45) 96 14 26 00

Description Colour Coding Rubber Band x 5, 1.57", Pink

Item Number 98021

Plastic Material Silicone rubber

Color masterbatch Pink

EU Compliance

Regulation (EC) No 2023/2006 The product is produced according to EU Commission Regulation no. 2023/2006 of 22.

December 2006 on good manufacturing practices for materials and articles intended to

come into contact with food (GMP).

US FDA Compliance The silicone raw material complies with FDA (Food and Drug Administration in the USA)

CFR 21 177.2600 "Rubber articles intended for repeated use".

Non-food contact usage

temperature

Minimum temperature: -20 °C

Maximum temperature: 200 °C

General Equipment should be cleaned, disinfected and sterilised, as appropriate to it's intended

use, before use.

It is also important to clean, disinfect and sterilise equipment as appropriate after use,

using the appropriate decontamination chemicals, concentrations, times and

temperatures.

Appropriate equipment decontamination will minimise the risk of microbial growth and cross contamination and will maximise the efficiency and durability of the equipment.

We will make the relevant background documentation available to the competent

authorities, at their request.

Vikan A/S is registered with the Danish Veterinary and Food Administration (DVFA), and

our mandatory Own Control System is subject to inspection by the DVFA.

Date 2019-10-31

Vikan A/S Rævevej 1 CVR. 23456789 DK-7800 Skive P (+45) 9614 2600 F (+45) 9614 2655



Stine 1. Bish



Business Operator Vikan A/S

Rævevej 1 DK-7800 Skive (+45) 96 14 26 00

Description Colour Coding Rubber Band x 5, 1.57", Green

Item Number 98022

0

Plastic Material Silicone rubber

Color masterbatch Green

EU Compliance

Regulation (EC) No 2023/2006 The product is produced according to EU Commission Regulation no. 2023/2006 of 22.

December 2006 on good manufacturing practices for materials and articles intended to

come into contact with food (GMP).

US FDA Compliance The silicone raw material complies with FDA (Food and Drug Administration in the USA)

CFR 21 177.2600 "Rubber articles intended for repeated use".

Non-food contact usage

temperature

Minimum temperature: -20 °C

Maximum temperature: 200 °C

General Equipment should be cleaned, disinfected and sterilised, as appropriate to it's intended

use, before use.

It is also important to clean, disinfect and sterilise equipment as appropriate after use,

using the appropriate decontamination chemicals, concentrations, times and

temperatures.

Appropriate equipment decontamination will minimise the risk of microbial growth and cross contamination and will maximise the efficiency and durability of the equipment.

We will make the relevant background documentation available to the competent

authorities, at their request.

Vikan A/S is registered with the Danish Veterinary and Food Administration (DVFA), and

our mandatory Own Control System is subject to inspection by the DVFA.

Date 2019-10-31

Vikan A/S Rævevej 1 CVR. 23456789 DK-7800 Skive P (+45) 9614 2600 F (+45) 9614 2655



Stine 1. Bish



Business Operator Vikan A/S

Rævevej 1 DK-7800 Skive (+45) 96 14 26 00

Description Colour Coding Rubber Band x 5, 1.57", Blue

Item Number 98023

O

Plastic Material Silicone rubber

Color masterbatch Blue

EU Compliance

Regulation (EC) No 2023/2006 The product is produced according to EU Commission Regulation no. 2023/2006 of 22.

December 2006 on good manufacturing practices for materials and articles intended to

come into contact with food (GMP).

US FDA Compliance The silicone raw material complies with FDA (Food and Drug Administration in the USA)

CFR 21 177.2600 "Rubber articles intended for repeated use".

Non-food contact usage

temperature

Minimum temperature: -20 °C

Maximum temperature: 200 °C

General Equipment should be cleaned, disinfected and sterilised, as appropriate to it's intended

use, before use.

It is also important to clean, disinfect and sterilise equipment as appropriate after use,

using the appropriate decontamination chemicals, concentrations, times and

temperatures.

Appropriate equipment decontamination will minimise the risk of microbial growth and cross contamination and will maximise the efficiency and durability of the equipment.

We will make the relevant background documentation available to the competent

authorities, at their request.

Vikan A/S is registered with the Danish Veterinary and Food Administration (DVFA), and

our mandatory Own Control System is subject to inspection by the DVFA.

Date 2019-10-31

Vikan A/S Rævevej 1 CVR. 23456789 DK-7800 Skive P (+45) 9614 2600 F (+45) 9614 2655



Stine 1. Bish



Business Operator Vikan A/S

Rævevej 1 DK-7800 Skive (+45) 96 14 26 00

Description Colour Coding Rubber Band x 5, 1.57", Red

Item Number 98024

(So)

Plastic Material Silicone rubber

Color masterbatch Red

EU Compliance

Regulation (EC) No 2023/2006 The product is produced according to EU Commission Regulation no. 2023/2006 of 22.

December 2006 on good manufacturing practices for materials and articles intended to

come into contact with food (GMP).

US FDA Compliance The silicone raw material complies with FDA (Food and Drug Administration in the USA)

CFR 21 177.2600 "Rubber articles intended for repeated use".

Non-food contact usage

temperature

Minimum temperature: -20 °C

Maximum temperature: 200 °C

General Equipment should be cleaned, disinfected and sterilised, as appropriate to it's intended

use, before use.

It is also important to clean, disinfect and sterilise equipment as appropriate after use,

using the appropriate decontamination chemicals, concentrations, times and

temperatures.

Appropriate equipment decontamination will minimise the risk of microbial growth and cross contamination and will maximise the efficiency and durability of the equipment.

We will make the relevant background documentation available to the competent

authorities, at their request.

Vikan A/S is registered with the Danish Veterinary and Food Administration (DVFA), and

our mandatory Own Control System is subject to inspection by the DVFA.

Date 2019-10-31

Vikan A/S Rævevej 1 CVR. 23456789 DK-7800 Skive P (+45) 9614 2600 F (+45) 9614 2655



Stine 1. Bish



Business Operator Vikan A/S

Rævevej 1 DK-7800 Skive (+45) 96 14 26 00

Description Colour Coding Rubber Band x 5, 1.57", White

Item Number 98025

0

Plastic Material Silicone rubber

Color masterbatch White

EU Compliance

Regulation (EC) No 2023/2006 The product is produced according to EU Commission Regulation no. 2023/2006 of 22.

December 2006 on good manufacturing practices for materials and articles intended to

come into contact with food (GMP).

US FDA Compliance The silicone raw material complies with FDA (Food and Drug Administration in the USA)

CFR 21 177.2600 "Rubber articles intended for repeated use".

Non-food contact usage

temperature

Minimum temperature: -20 °C

Maximum temperature: 200 °C

General Equipment should be cleaned, disinfected and sterilised, as appropriate to it's intended

use, before use.

It is also important to clean, disinfect and sterilise equipment as appropriate after use,

using the appropriate decontamination chemicals, concentrations, times and

temperatures.

Appropriate equipment decontamination will minimise the risk of microbial growth and cross contamination and will maximise the efficiency and durability of the equipment.

We will make the relevant background documentation available to the competent

authorities, at their request.

Vikan A/S is registered with the Danish Veterinary and Food Administration (DVFA), and

our mandatory Own Control System is subject to inspection by the DVFA.

Date 2019-10-31

Vikan A/S Rævevej 1 CVR. 23456789 DK-7800 Skive P (+45) 9614 2600 F (+45) 9614 2655



Stine 1. Bish



Business Operator Vikan A/S

Rævevej 1 DK-7800 Skive (+45) 96 14 26 00

Description Colour Coding Rubber Band x 5, 1.57", Yellow

Item Number 98026

Plastic Material Silicone rubber

Color masterbatch Yellow

EU Compliance

Regulation (EC) No 2023/2006 The product is produced according to EU Commission Regulation no. 2023/2006 of 22.

December 2006 on good manufacturing practices for materials and articles intended to

come into contact with food (GMP).

US FDA ComplianceThe silicone raw material complies with FDA (Food and Drug Administration in the USA)

CFR 21 177.2600 "Rubber articles intended for repeated use".

Non-food contact usage

temperature

Minimum temperature: -20 °C

Maximum temperature: 200 °C

General Equipment should be cleaned, disinfected and sterilised, as appropriate to it's intended

use, before use.

It is also important to clean, disinfect and sterilise equipment as appropriate after use,

using the appropriate decontamination chemicals, concentrations, times and

temperatures.

Appropriate equipment decontamination will minimise the risk of microbial growth and cross contamination and will maximise the efficiency and durability of the equipment.

We will make the relevant background documentation available to the competent

authorities, at their request.

Vikan A/S is registered with the Danish Veterinary and Food Administration (DVFA), and

our mandatory Own Control System is subject to inspection by the DVFA.

Date 2019-10-31

Vikan A/S Rævevej 1 CVR. 23456789 DK-7800 Skive P (+45) 9614 2600 F (+45) 9614 2655



Stine 1. Bish



Business Operator Vikan A/S

Rævevej 1 DK-7800 Skive (+45) 96 14 26 00

Description Colour Coding Rubber Band x 5, 1.57", Orange

Item Number 98027

Plastic Material Silicone rubber

Color masterbatch Orange

EU Compliance

Regulation (EC) No 2023/2006 The product is produced according to EU Commission Regulation no. 2023/2006 of 22.

December 2006 on good manufacturing practices for materials and articles intended to

come into contact with food (GMP).

US FDA Compliance The silicone raw material complies with FDA (Food and Drug Administration in the USA)

CFR 21 177.2600 "Rubber articles intended for repeated use".

Non-food contact usage

temperature

Minimum temperature: -20 °C

Maximum temperature: 200 °C

General Equipment should be cleaned, disinfected and sterilised, as appropriate to it's intended

use, before use.

It is also important to clean, disinfect and sterilise equipment as appropriate after use,

using the appropriate decontamination chemicals, concentrations, times and

temperatures.

Appropriate equipment decontamination will minimise the risk of microbial growth and cross contamination and will maximise the efficiency and durability of the equipment.

We will make the relevant background documentation available to the competent

authorities, at their request.

Vikan A/S is registered with the Danish Veterinary and Food Administration (DVFA), and

our mandatory Own Control System is subject to inspection by the DVFA.

Date 2019-10-31

Vikan A/S Rævevej 1
CVR. 23456789 DK-7800 Skive

P (+45) 9614 2600 F (+45) 9614 2655



Stine 1. Bish



Business Operator Vikan A/S

Rævevej 1 DK-7800 Skive (+45) 96 14 26 00

Description Colour Coding Rubber Band x 5, 1.57", Purple

Item Number 98028

Plastic Material Silicone rubber

Color masterbatch Purple

EU Compliance

Regulation (EC) No 2023/2006 The product is produced according to EU Commission Regulation no. 2023/2006 of 22.

December 2006 on good manufacturing practices for materials and articles intended to

come into contact with food (GMP).

US FDA Compliance The silicone raw material complies with FDA (Food and Drug Administration in the USA)

CFR 21 177.2600 "Rubber articles intended for repeated use".

Non-food contact usage

temperature

Minimum temperature: -20 °C

Maximum temperature: 200 °C

General Equipment should be cleaned, disinfected and sterilised, as appropriate to it's intended

use, before use.

It is also important to clean, disinfect and sterilise equipment as appropriate after use,

using the appropriate decontamination chemicals, concentrations, times and

temperatures.

Appropriate equipment decontamination will minimise the risk of microbial growth and cross contamination and will maximise the efficiency and durability of the equipment.

We will make the relevant background documentation available to the competent

authorities, at their request.

Vikan A/S is registered with the Danish Veterinary and Food Administration (DVFA), and

our mandatory Own Control System is subject to inspection by the DVFA.

Date 2019-10-31

Vikan A/S Rævevej 1 CVR. 23456789 DK-7800 Skive P (+45) 9614 2600 F (+45) 9614 2655



Stine 1. Bish



Business Operator Vikan A/S

Rævevej 1 DK-7800 Skive (+45) 96 14 26 00

Description Colour Coding Rubber Band x 5, 1.57", Black

Item Number 98029

Plastic Material Silicone rubber

Color masterbatch Black

EU Compliance

Regulation (EC) No 2023/2006 The product is produced according to EU Commission Regulation no. 2023/2006 of 22.

December 2006 on good manufacturing practices for materials and articles intended to

come into contact with food (GMP).

US FDA Compliance The silicone raw material complies with FDA (Food and Drug Administration in the USA)

CFR 21 177.2600 "Rubber articles intended for repeated use".

Non-food contact usage

temperature

Minimum temperature: -20 °C

Maximum temperature: 200 °C

General Equipment should be cleaned, disinfected and sterilised, as appropriate to it's intended

use, before use.

It is also important to clean, disinfect and sterilise equipment as appropriate after use,

using the appropriate decontamination chemicals, concentrations, times and

temperatures.

Appropriate equipment decontamination will minimise the risk of microbial growth and cross contamination and will maximise the efficiency and durability of the equipment.

We will make the relevant background documentation available to the competent

authorities, at their request.

Vikan A/S is registered with the Danish Veterinary and Food Administration (DVFA), and

our mandatory Own Control System is subject to inspection by the DVFA.

Date 2019-10-31

Vikan A/S Rævevej 1
CVR. 23456789 DK-7800 Skive

P (+45) 9614 2600 F (+45) 9614 2655



Stine 1. Bish



Business Operator Vikan A/S

Rævevej 1 DK-7800 Skive (+45) 96 14 26 00

Description Colour Coding Rubber Band x 5, 1.57", Brown

Item Number 980266

0

Plastic Material Silicone rubber

Color masterbatch Brown

EU Compliance

Regulation (EC) No 2023/2006 The product is produced according to EU Commission Regulation no. 2023/2006 of 22.

December 2006 on good manufacturing practices for materials and articles intended to

come into contact with food (GMP).

US FDA Compliance The silicone raw material complies with FDA (Food and Drug Administration in the USA)

CFR 21 177.2600 "Rubber articles intended for repeated use".

Non-food contact usage

temperature

Minimum temperature: -20 °C

Maximum temperature: 200 °C

General Equipment should be cleaned, disinfected and sterilised, as appropriate to it's intended

use, before use.

It is also important to clean, disinfect and sterilise equipment as appropriate after use,

using the appropriate decontamination chemicals, concentrations, times and

temperatures.

Appropriate equipment decontamination will minimise the risk of microbial growth and cross contamination and will maximise the efficiency and durability of the equipment.

We will make the relevant background documentation available to the competent

authorities, at their request.

Vikan A/S is registered with the Danish Veterinary and Food Administration (DVFA), and

our mandatory Own Control System is subject to inspection by the DVFA.

Date 2019-10-31

Vikan A/S Rævevej 1 CVR. 23456789 DK-7800 Skive P (+45) 9614 2600 F (+45) 9614 2655



Stine 1. Bish



Business Operator Vikan A/S

Rævevej 1 DK-7800 Skive (+45) 96 14 26 00

Description Colour Coding Rubber Band x 5, 1.57", Lime

Item Number 980277

0

Plastic Material Silicone rubber

Color masterbatch Lime

EU Compliance

Regulation (EC) No 2023/2006 The product is produced according to EU Commission Regulation no. 2023/2006 of 22.

December 2006 on good manufacturing practices for materials and articles intended to

come into contact with food (GMP).

US FDA ComplianceThe silicone raw material complies with FDA (Food and Drug Administration in the USA)

CFR 21 177.2600 "Rubber articles intended for repeated use".

Non-food contact usage

temperature

Minimum temperature: -20 °C

Maximum temperature: 200 °C

General Equipment should be cleaned, disinfected and sterilised, as appropriate to it's intended

use, before use.

It is also important to clean, disinfect and sterilise equipment as appropriate after use,

using the appropriate decontamination chemicals, concentrations, times and

temperatures.

Appropriate equipment decontamination will minimise the risk of microbial growth and cross contamination and will maximise the efficiency and durability of the equipment.

We will make the relevant background documentation available to the competent

authorities, at their request.

Vikan A/S is registered with the Danish Veterinary and Food Administration (DVFA), and

our mandatory Own Control System is subject to inspection by the DVFA.

Date 2019-10-31

Vikan A/S Rævevej 1 CVR. 23456789 DK-7800 Skive P (+45) 9614 2600 F (+45) 9614 2655



Stine 1. Bish



Business Operator Vikan A/S

Rævevej 1 DK-7800 Skive (+45) 96 14 26 00

Description Colour Coding Rubber Band x 5, 1.57", Grey

Item Number 980288

0

Plastic Material Silicone rubber

Color masterbatch Grey

EU Compliance

Regulation (EC) No 2023/2006 The product is produced according to EU Commission Regulation no. 2023/2006 of 22.

December 2006 on good manufacturing practices for materials and articles intended to

come into contact with food (GMP).

US FDA Compliance The silicone raw material complies with FDA (Food and Drug Administration in the USA)

CFR 21 177.2600 "Rubber articles intended for repeated use".

Non-food contact usage

temperature

Minimum temperature: -20 °C

Maximum temperature: 200 °C

General Equipment should be cleaned, disinfected and sterilised, as appropriate to it's intended

use, before use.

It is also important to clean, disinfect and sterilise equipment as appropriate after use,

using the appropriate decontamination chemicals, concentrations, times and

temperatures.

Appropriate equipment decontamination will minimise the risk of microbial growth and cross contamination and will maximise the efficiency and durability of the equipment.

We will make the relevant background documentation available to the competent

authorities, at their request.

Vikan A/S is registered with the Danish Veterinary and Food Administration (DVFA), and

our mandatory Own Control System is subject to inspection by the DVFA.

Date 2019-10-31

Vikan A/S Rævevej 1 CVR. 23456789 DK-7800 Skive P (+45) 9614 2600 F (+45) 9614 2655



Stine 1. Bish